
ALMAÇ MARINE®
LIGHTING DESIGN

ALMAÇ MARINE®

LIGHTING DESIGN

WHO ARE WE?

Since 2007, electrical installations, electrical panel installations, malfunctions, maintenance and repair works of boats have been carried out by our company.

Since 2010, with our experience, we started to produce lighting products customize for boats.

OUR MISSION

Our aim is to illuminate the interior and exterior of the boat in the best possible way and to strengthen the design by making special productions in accordance with the existing boat design in the technical features and dimensions you want in line with your demands.

OUR VISION

To produce "unique designs" for the lighting needs of the yacht project.



CONTENTS

INTERIOR LIGHTS
02 - 13 page

EXTERIOR LIGHTS
14 - 20 page

ACCESSORY LIGHTS
21 - 30 page

DIMMER
31 page

LED BOARDS
31 page

GLASSES AND LENSES
32 page

REFERENCES
33 page





ALM 210

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 211

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 212

FIXTURE	ADJUSTABLE DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 213

FIXTURE	ADJUSTABLE DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 214

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 215

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 216

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 217

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 218

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 219

FIXTURE	ADJUSTABLE DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 220

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 221

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT







ALM 222

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT / RED / BLUE /







ALM 223

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L & 3D HYDROGRAPHIC COVERING
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 224

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L AND GOLD COVERING
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 225

BODY	: STAINLESS STEEL AISI 316 L
HEAT SINK	: ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 4 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP40
W x D	: 83 x 63 x 35 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT







ALM 226

BODY	: STAINLESS STEEL AISI 316 L
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 6 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP40
W x H x D	: 85 x 50 x 35 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT / RED / BLUE



ALM 310

FIXTURE	DOWNLIGHT
BODY	STATIC PAINTED AND ANODIZED ALUMINIUM
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT







ALM 311

FIXTURE	DOWNLIGHT
BODY	STATICA PAINTED AND ANODIZED ALUMINIUM
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 312

FIXTURE	DOWNLIGHT
BODY	STATIC PAINTED AND ANODIZED ALUMINIUM
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 313

FIXTURE	ADJUSTABLE DOWNLIGHT
BODY	STATIC PAINTED AND ANODIZED ALUMINIUM
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 314

FIXTURE	DOWNLIGHT
BODY	BLACK COLOR ANODIZED ALUMINIUM
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 315

FIXTURE	ENGINE ROOM LIGHT WITH INTERNAL EMERGENCY LIGHT
BODY	STATIC PAINTED AND ANODIZED ALUMINIUM
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	20 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT





ALM 380

FIXTURE	BILGE AND CHAIN LOCKER LIGHT
BODY	BLACK COLOR ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	10-30 WATT (LENGT OF THE PRODUCT BODY)
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE
DIMENSIONS	IT IS PRODUCED ACCORDING TO THE DESIRED LENGT









DOWNLIGHT ALM 316

BODY	: STATIC PAINTED AND ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 8 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP67
W x D	: 180 x 100 x 35 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT

DOWNLIGHT ALM 317

BODY	: STATIC PAINTED AND ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 8 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP67
W x D	: 180 x 100 x 35 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT









ALM 318

BODY	: STATIC PAINTED AND ANODIZED ALUMINIUM
HEAT SINK	: ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 3 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP40
W x H x D	: 70 x 48 x 10 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT /



ALM 319

BODY	: STATIC PAINTED AND ANODIZED ALUMINIUM
HEAT SINK	: ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 4 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP40
W x H x D	: 93 x 73 x 35 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT /





ALM 371

BODY	: STATIC PAINTED AND ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND SMD LED
DIMMABLE	: YES
POWER	: 20,40,60,80 WATT
SUPPLY	: 220 / 24 V D.C.
IP RATE	: IP67
W x H x D	: (350,500,600,1000 mm) x 180 x 25 mm
HOLE DIAMETER	:
LED COLOR	: WHITE





ADJUSTABLE DOWNLIGHT ALM 372

BODY	: STATIC PAINTED AND ANODIZED ALUMINIUM
HEAT SINK	: ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM B
DIMMABLE	: YES
POWER	: 4 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP67
W x H x D	: 110 x 74 x 35 mm
HOLE DIAMETER	:
LED COLOR	: WHITE







ALM 351

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L & 3D HYDROGRAPHIC COVERING
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE :	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT / RED / BLUE / RGB



ADJUSTABLE DOWNLIGHT ALM 373

BODY	: ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND SMD LED
DIMMABLE	: YES
POWER	: 20,40,60,80 WATT
SUPPLY	: 220 / 24 V D.C.
IP RATE	: IP67
W x H x D	: (200,300,400,600) x 100 mm
LED COLOR	: WHITE







ALM 110

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	8 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP66
LED COLOR	WHITE / DAY LIGHT





ALM 111

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP66
LED COLOR	WHITE / DAY LIGHT







ALM 112

FIXTURE	AVNING DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP66
LED COLOR	WHITE / DAY LIGHT







ALM 113

FIXTURE	ADJUSTABLE CROSSTREE LIGHT
SCREEN	TEMPERED GLASS
BODY	STATIC PAINTED AND ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	28 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND COB LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT









ALM 114

FIXTURE	ADJUSTABLE CROSSTREE LIGHT
SCREEN	TEMPERED GLASS
BODY	STATIC PAINTED AND ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	18 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE :	OSRAM BRAND COB LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT





ALM 115

FIXTURE	ADJUSTABLE PROJECTOR
SCREEN	TEMPERED GLASS
BODY	STATIC PAINTED AND ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	28 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE :	OSRAM BRAND COB LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT









ALM 116

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP66
LED COLOR	WHITE / DAY LIGHT / RED / BLUE / RGB





ALM 117

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	1 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / RED / BLUE / RGB







ALM 118

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / RED / BLUE /





ALM 119

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / RED / BLUE /







ALM 120

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / RED / BLUE



ALM 121

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / RED / BLUE / RGB









ALM 122

FIXTURE	UNDER WATER LIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	80 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND COB LED
IP RATE	IP68
LED COLOR	WHITE / RGB





COURTESY LIGHT ALM 123

BODY	: STATIC PAINTED
LIGHT SOURCE	: OSRAM BRAND SMD LED
DIMMABLE	: YES
POWER	: 2 W
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP67
W x H x D	: 85 x 30 x 15 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT / RED / BLUE





COURTESY LIGHT ALM 124

BODY	: STAINLESS STEEL AISI 316 L / ANODIZED ALUMINIUM
HEAT SINK	: ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 3 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP67
W x H x D	: 43 x 47 x 34 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT / RED / BLUE





ALM 411

FIXTURE	WALL LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	6 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT / RED / BLUE
DIMENSIONS	IT IS PRODUCED ACCORDING TO THE DESIRED LENGTH





ALM 412

FIXTURE	WALL LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT







ALM 413

FIXTURE	ADJUSTABLE READING LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT / RED / BLUE





ALM 414

FIXTURE	ADJUSTABLE READING LIGHT
BODY	STAINLESS STEEL AISI 316 L AND LEATHER LINING
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 415

FIXTURE	ADJUSTABLE READING LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 416

FIXTURE	ADJUSTABLE READING LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 417

FIXTURE	ADJUSTABLE READING LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 418

FIXTURE	ADJUSTABLE READING LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT







ALM 510

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT / RED / BLUE / RGB





ALM 511

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	1 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT









ALM 512

FIXTURE	DOWNLIGHT
BODY	STAINLESS STEEL AISI 316 L & 3D HYDROGRAPHIC COVERING
HEATSINK	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	3 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT / RED / BLUE / RGB





ALM 513

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / red / blue /





ALM 514

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / RED / BLUE





ALM 515

FIXTURE	COURTESY LIGHT
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP67
LED COLOR	WHITE / DAY LIGHT / RED / BLUE /





COURTESY LIGHT ALM 516

BODY	: STATIC PAINTED
LIGHT SOURCE	: OSRAM BRAND SMD LED
DIMMABLE	: YES
POWER	: 2 W
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP67
W x H x D	: 85 x 30 x 15 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT / RED / BLUE





COURTESY LIGHT ALM 517

BODY	: STAINLESS STEEL AISI 316 L / ANODIZED ALUMINIUM
HEAT SINK	: ANODIZED ALUMINIUM
LIGHT SOURCE	: OSRAM BRAND POWER LED
DIMMABLE	: YES
POWER	: 3 WATT
SUPPLY	: 12 / 24 V D.C.
IP RATE	: IP67
W x H x D	: 43 x 47 x 34 mm
HOLE DIAMETER	:
LED COLOR	: WHITE / DAY LIGHT / RED / BLUE







ALM 550

FIXTURE	DRESSING LIGHT
BODY	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	4 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT
DIMENSIONS	IT IS PRODUCED ACCORDING TO THE DESIRED LENGTH



ALM 551

FIXTURE	DRESSING LIGHT
BODY	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	4 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT /
DIMENSIONS	IT IS PRODUCED ACCORDING TO THE DESIRED LENGTH







ALM 570

FIXTURE	LINEER LIGHT
BODY	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	4 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT
DIMENSIONS	IT IS PRODUCED ACCORDING TO THE DESIRED LENGTH



ALM 571

FIXTURE	LINEER LIGHT
BODY	ANODIZED ALUMINIUM
DIMMABLE	YES
POWER	4 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND SMD LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT
ÖLÇÜLER	IT IS PRODUCED ACCORDING TO THE DESIRED LENGTH





ALM 600

FIXTURE	WALL LIGHT
BODY	BRASS BODY AND BRONZE FINISH
DIMMABLE	YES
POWER	8 WATT
SUPPLY	12/24 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT





ALM 601

FIXTURE	WALL LIGHT
SPECIAL LIGHT	HANMADE
BODY	STAINLESS STEEL AISI 316 L
DIMMABLE	YES
POWER	2 WATT
SUPPLY	12/24/220 V D.C.
LIGHT SOURCE	OSRAM BRAND POWER LED
IP RATE	IP40
LED COLOR	WHITE / DAY LIGHT







DIMMER

RAY TYPE PLASTIC BODY

POWER 150 WATT

INPUT 12 / 24 V D.C.

*PUSH BUTTON

*UP DOWN

*POTENSIYEMETER

* PLC



REFERENCES


taka


Ulutaş


SU MARINE


SES YACHTS


magnolia
YACHTS


TURQUOISE
YACHTS


HUZUR YACHTS
SINCE 1978


KRAKEN YACHTS


AKYACHT


ORI MARINE
DESIGN STUDIO


GÖKOVA YELKEN KULÜBÜ
www.gokovayelken.org
2002


Arkın Pruva
Yachts


AGANTUR SHIPYARD
by ÖZKALAY GROUP


KUASAR MARIN


TENER
DENİZ TEKNELERİ


ALMAÇ MARINE®
LIGHTING DESIGN
+90 216 494 39 18
info@almacmarine.com
Aydıntepe Mh. Yavuz Cd.
Geçit Sk. No:1/A
Tuzla / İstanbul
TÜRKİYE
www.almacmarine.com
www.byken.com.tr